

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 40] NEW DELHI, SATURDAY, OCTOBER 11, 1958/ASVINA 19, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th September, 1958

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Andhra Pradesh								Madhya Pradesh															
"N.R."								"N.R."															
Assam								Madras															
"N.R."								Madras	.	.	1	1	45	4							
Bihar								Chingleput	27	10							
Patna	.	.	10	5	South Arcot	.	.	5	2	50	9							
Gaya	.	.	64	27	5	2	..	Tanjore	32	7							
Shahabad	.	.	81	40	7	9	..	Madurai	5	1							
Saran	.	.	32	14	Tirunelveli	5	3							
Champaran	.	.	92	19	North Arcot	22	5							
Muzaffarpur	.	.	216	61	Salem	23	7							
Monghyr	.	.	54	19	2	1	..	Coimbatore	11	1							
Santal Parganas	.	.	49	26	The Nilgiris	1							
Hazaribagh	.	.	12	6	10	3	..	TOTAL	.	.	6	3	221	47							
Palamau	1	Total for w/c 6-9-58	.	.	8	..	172	54							
TOTAL	.	.	610	217	25	15	..	Total for w/c 30-8-58	.	.	21	10	200	52							
Total for w/c 6-9-58	425	156	22	4	Manipur															
Total for w/c 30-8-58	956	365	58	21	TOTAL							
Bombay								Total for w/c 6-9-58							
"N.R."								Total for w/c 30-8-58							
Delhi								Mysore															
"N.R."								"N.R."															
Himachal Pradesh								Orissa															
"N.R."								Puri	.	.	10	5	5	2							
Kerala								Sambalpur	.	.	4	4	6	1							
Trivandrum	5	Baudh	4	2							
Quilon	2	Ganjam	.	.	18	10	34	11							
Alleppey	2	Koraput	31	7							
Trichur	11	4	..	Mayurbhanj	1							
Malabar	16	7	..	Dhenkanal	2	1							
TOTAL	36	11	Sundergarh	.	.	20	12	12	6							
Total for w/c 6-9-58	44	5																
Total for w/c 30-8-58	.	..	37	18																

Explanation of Symbols used:—C = Cases; D = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th September, 1958—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa—<i>contd.</i>							ARREAR INFORMATION						
Bolangir-Patna.	11	9	12	1	..	—	Andhra Pradesh						
Kalahandi	70	56	13	3	<i>w/e 2-8-58</i>						
TOTAL	133	96	120	34	Srikakulam	20	12	10
Total for <i>w/e 6-9-58</i>	370	294	135	40	Visakhapatnam	42	21	18	7	—	..
Total for <i>w/e 30-8-58</i>	370	295	324	126	East-Godavari	13	8	9
Pondicherry							West Godavari	2	1	5
TOTAL	3	..	10	7	..	—	Krishna	12	3	6
Total for <i>w/e 6-9-58</i>	2	2	Guntur	12	3	53	6
Total for <i>w/e 30-8-58</i>	3	3	—	—	Nellore	10
Punjab							Kurnool	57	23	36	7
"N.R."							Cuddapah	11	3
Rajasthan							Anantapur	4	1	10	3
"N. R."							Chittoor	37	11
Tripura							Warangal	43	23
"N.R."							Karimnagar	19	10	9	3
Uttar Pradesh							Nalgonda	71	18
Azamgarh	6	3	Hyderabad	3	1
Budaun	2	TOTAL	295	123	217	41
Ballia	7	1	<i>w/e 9-8-58</i>						
Banda	2	2	Srikakulam	17	15	19	9
Deoria	5	1	Visakhapatnam	81	15	28	7
Farrukhabad	12	3	East Godavari	21	5	5	2
Faizabad	3	1	West Godavari	6	1	24	7
Ghazipur	4	1	Krishana	27	15	14	5
Lucknow	1	Guntur	30	14	84	29
Manipuri	1	Nellore	7	3
Rampur	9	5	Kurnool	34	20	40	14
Moradabad	3	Cuddapah	40	6
TOTAL	16	6	39	11	Anantapur	27	4
Total for <i>w/e 6-9-58</i>	78	17	25	6	Chittoor	29	7
Total for <i>w/e 30-8-58</i>	25	6	21	18	Warangal	74	26	1
West Bengal							Karimnagar	18	9
"N.R."							Medak	5	3
Total for India (Excluding Andhra Pradesh, Assam, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab, Rajasthan, Tripura and West Bengal).	678	322	451	125	Nalgonda	208	107
Corresponding							Mahbubnagar	7	2
Total for <i>w/e 6-9-58</i>	881	467	400	111	Hyderabad	8	3
Corresponding							TOTAL	473	235	318	93
Total for <i>w/e 30-8-58</i>	1372	676	643	238							

Explanation of Symbols used: ++C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th September, 1958—*concl'd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay								Mysore—cont'd.							
<i>w/e 6-9-58</i>								Mysore 23 4							
Bombay	1	..	5	Shimoga	1	1
Amreli	8	4	Bijapur	1
Broach	23	10	Dharwa	1
Kaira	11	2	South Kanara	7	2
Mehsana	1	Coorg (Mercara)	2
Surat	23	8	TOTAL	1	1	42	12
Ahmednagar	30	10	18	Rajasthan							
East Khandesh	79	24	20	7	<i>w/e 30-8-58 (Supplementary)</i>							
Nasik	29	9	Bikaner	6
Poona	1	1	6	TOTAL	6
North Satara	1	..	6	<i>w/e 6-9-58</i>							
South Satara	1	Bikaner	1
Sholapur	12	6	2	TOTAL	1
West Khandesh	62	22	West Bengal							
Akola	57	25	<i>w/e 6-9-58</i>							
Amravati	58	21	Burdwan	14	7	18	10
Bhandara	81	11	Birbhum	2	2	2
Buldhana	105	52	Midnapore	6	4	..	1
Chanda	7	Hooghly	2	1
Nagpur	84	28	1	Howrah	6	3	1	1
Wardha	21	13	24-Parganas	18	6	43	21
Yectmal	12	Calcutta	23	15	1
Aurangabad	14	7	West Dinaipur	10	4
Osmanabad	1	1	Malda	3	2	12	10
Parbhani	21	1	Purulia
TOTAL	726	251	75	11	TOTAL	72	40	89	48
Mysore								Punjab							
<i>w/e 6-9-58</i>								<i>w/e 6-9-58</i>							
Chitradurga	2	Ferozpur	3
Chikmagalur	3	2	Patiala	22	1
Kolar	3	2	TOTAL	22	1	3
Mandya	2	Pollomyelitis							

Explanation of Symbols used:—C.—Cases ; D.—Deaths ; .. = Nil.

(Information based on patients treated in hospitals of important towns.)

Place w/e Case Death
Calcutta City 30-8-58 ; / (Not specified)

REMARKS

Cholera:—Heavy incidence of the disease was reported from Kalahandi district in Orissa State.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th September, 1958

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	L.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh														
Assam														
Bihar														
Bombay														
Delhi														
Kerala														
Madhya Pradesh														
Madras														
Ambur . . .	48	37	40.1	4	4	..	15	16.2	4	
Arrupukottai . .	62	47	39.4	2	5	17	14.3	5	
Bodinayakanur . .	43	25	30.2	3	3.6	1	
Chidambaram . . .	43	40	48.4	3	3.6	..	
Coimbatore . . .	267	294	57.3	2	11	14	..	87	16.9	16	
Cuddalore . . .	76	78	53.4	1	2	1	3	27	18.5	7	
Dindigul . . .	100	46	23.9	4	1	..	12	6.2	3	
Erode . . .	77	89	60.1	2	7	1	16	10.8	4	
Gobichettipalayam†														
Gudiyattam . . .	58	42	37.7	4	2	..	21	18.8	5	
Kancheepuram . . .	93	68	38.0	..	1	2	11	..	28	15.7	7	
Karakudi . . .	47	49	54.2	1	..	1	..	10	11.1	3	
Karur . . .	57	27	24.6	1	6	5.5	2	
Kumbakonam . . .	15	90	40.7	1	5	5	..	41	18.5	3	
Madras City†														
Madurai . . .	488	316	33.7	..	2	..	15	7	23	..	108	11.5	29	
Mayuram†														
Maliapalayam . . .	43	22	26.6	1	1	7	8.5	2	
Nagapattinam . . .	62	62	52.0	4	2	1	1	28	23.5	8	
Nagercoil . . .	109	85	40.6	1	1	1	3	19	9.1	3	
Ootacamund . . .	53	50	49.1	4	..	11	10.8	3	
Palni . . .	44	25	29.5	2	3	..	11	13.0	3	
Palayamkottai . . .	48	84	91.0	1	..	1	..	13	14.1	2	
Periyakulam . . .	35	30	44.6	2	2	..	14	20.8	2	
Pollachi . . .	60	43	37.3	2	..	6	5.2	..	
Pudukottai . . .	54	59	56.8	1	14	13.5	6	
Rajapalayam . . .	74	58	41.5	1	..	3	..	10	7.0	1	
Salem†														
Sriangam . . .	46	7	7.9	2	1	..	13	14.7	1	
Srivilliputur†														
Tanjore . . .	133	93	36.4	..	2	4	1	2	31	12.1	6	
Tiruchirappalli . . .	276	140	26.4	1	3	6	..	57	10.7	14	
Tirunelveli . . .	84	59	36.5	1	4	..	19	11.8	6	
Tiruppur . . .	73	57	40.6	1	3	..	9	6.4	1	
Tiruvannamalai . . .	47	37	40.9	..	1	1	10	11.1	1	
Tuticorin . . .	121	113	48.6	3	7	..	35	15.0	15	
Vaniyambadi . . .	45	27	31.2	1	1	2	..	12	13.9	2	
Vellore . . .	141	126	46.5	3	11	..	57	21.0	10	
Villapuram . . .	42	47	58.2	1	4	2	..	13	16.1	3	
Virudhunagar . . .	57	35	31.9	2	2	1	..	13	11.9	2	
TOTAL . . .	3,221	2,507	40.5	..	6	..	36	78	124	12	796	12.9	180	
Mysore														
Bangalore . . .	1,246	710	29.6	46	80	..	292	12.1	4	
Mysore . . .	347	327	49.0	20	7	3	..	77	11.5	4	
Kolar Gold Fields . . .	180	108	31.2	3	4	5	..	31	8.9	..	
Bellary . . .	83	86	53.8	3	5	1	28	17.5	6	
Davangere . . .	85	28	17.1	2	12	7.3	..	
Shimoga . . .	68	42	32.1	6	1	..	1	12	9.1	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B. = Births ; B. R. = Birth Rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information. "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th September, 1958.—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from 1—											Total	D.R.*	L.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Mysore—contd.															
Bhadravati†															
Hospet †															
Tumkur†															
Kolar†															
Chitaldrug . . .	37	9	12·6	2	2·8	..		
Hassan†															
Bidar†															
Guiberga†															
Ralchur†															
Bijapur †															
Belgaum . . .	110	103	48·6	4	..	2	..	34	16·0	3		
Dharwar . . .	85	33	20·1	1	1	1	..	11	6·7	..		
Bagalkot . . .	39	33	44·0	2	1	11	14·6	..		
Mangalore . . .	153	200	67·9	6	2	3	..	74	25·1	13		
Gadag-Betegere . . .	73	65	46·3	7	..	2	..	17	12·5	..		
Hubli†															
TOTAL . . .	2,506	1,744	36·2	51	65	101	2	601	12·5	30		
Orissa															
Berhampur . . .	81	150	96·3	1	8	16	2	3	52	33·4	9		
Cuttack . . .	129	78	31·4	..	2	..	6	4	2	..	26	10·5	5		
Puri . . .	56	56	51·9	19	18	1	1	53	49·2	14		
TOTAL . . .	266	284	55·4	1	2	..	33	38	5	4	131	25·5	28		
Pondicherry															
Pondicherry . . .	68	93	71·1	2	5	4	2	19	14·5	8		
Punjab															
Ambala . . .	62	60	50·5	4	4	1	1	16	13·5	5		
Amritsar . . .	359	334	48·5	1	5	21	4	94	13·7	29		
Batala . . .	66	38	30·0	4	..	1	..	10	7·9	3		
Bhiwani . . .	59	70	61·8	8	2	1	..	18	15·9	10		
Ferozepur . . .	47	40	44·4	1	3	..	10	11·1	3		
Hissar . . .	41	53	67·4	8	13	16·5	5		
Hoshiarpur . . .	54	25	24·1	9	..	2	..	17	16·4	3		
Jullundur . . .	230	150	34·0	6	3	6	..	32	7·3	8		
Karnal . . .	83	53	33·3	10	..	1	..	13	8·2	2		
Ludhiana . . .	194	192	51·6	14	2	18	..	65	17·5	27		
Moga . . .	45	25	29·0	4	..	2	..	8	9·3	4		
Panipat . . .	72	62	44·9	11	1	15	10·9	5		
Pathankot . . .	36	35	50·7	5	5	7·2	2		
Rewari . . .	40	30	39·1	2	2	1	..	10	13·0	3		
Rohtak . . .	96	82	44·5	12	5	1	..	26	14·1	10		
Simla . . .	53	38	37·4	1	..	4	3·9	2		
Sonepat . . .	36	41	59·4	7	12	17·4	7		
Bhatinda . . .	45	36	41·7	2	..	1	..	6	7·0	1		
Malerkotla . . .	35	52	77·5	6	7	10·4	..		
Patiala . . .	125	80	33·4	12	..	3	1	31	12·9	9		
TOTAL . . .	1,778	1,496	43·8	125	25	63	6	412	12·0	138		
Rajasthan															
Ajmer . . .	244	122	26·0	10	..	8	..	43	9·1	8		
Alwar†															
Beawar†															
Bharatpur†															
Bikaner†															
Churu . . .	52		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 13th September, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan—<i>contd.</i>													
Ganganagar†													
Jaipur†													
Jodhpur†													
Kotah †													
Sikar†													
Tonk†													
Udaipur†													
TOTAL . . .	296	122	21.4	10	..	8	..	43	7.6	8
Uttar Pradesh													
Agra . . .	404	325	41.9	9	20	..	73	9.4	28
Allahabad . . .	372	210	29.4	4	3	28	..	75	10.5	18
Amroha . . .	61	66	56.4	4	2	31	26.5	14
Bahraich†													
Banaras . . .	416	519	65.0	..	1	..	71	20	11	..	261	32.6	65
Banda†													
Bareilly . . .	206	74	18.7	13	8	6	..	37	9.4	8
Basti†													
Ballia†													
Bijnor†													
Budaun . . .	55	40	37.9	6	4	20	19.0	6
Bulandshahr †													
Chandauli . . .	44	54	64.0	4	1	1	..	18	21.3	6
Dehra Dun . . .	186	43	12.0	3	1	..	1	7	20.0	1
Etawah†													
Faizabad Ayodhya†													
Farukhabad-Fatehgarh	78	62	41.4	13	..	2	..	29	19.4	11
Pirozabad . . .	93	75	42.0	11	2	1	..	21	11.8	5
Ghaziipur . . .	45	42	48.7	7	1	2	..	12	13.9	1
Ghaziabad . . .	68	39	29.9	10	1	17	13.0	5
Gonda . . .	35	12	17.9	1	1.5	..
Gorakhpur . . .	150	102	35.4	..	1	..	10	7	7	..	39	13.5	9
Hapur . . .	65	58	46.5	9	2	3	..	19	15.2	5
Hardwar . . .	73	33	23.6	8	2	5	..	28	20.0	9
Hathras . . .	65	97	77.8	17	6	5	..	33	26.5	8
Jaunpur . . .	59	30	26.5	4	..	3	..	12	10.6	1
Jhansi . . .	132	123	48.6	18	1	1	..	44	17.4	15
Kanpur . . .	810	480	30.9	97	21	42	5	283	18.2	82
Kasganj . . .	34	10	15.3	1	..	1	1.5	1
Khurja †													
Koll Aligarh . . .	167	55	17.2	11	3	4	..	34	10.6	10
Lucknow†													
Mathura . . .	118	148	65.4	6	3	3	2	24	10.6	10
Mau Nath Bhanjan	39	73	97.6	1	12	16.0	5
Meerut . . .	198	141	37.1	11	4	4	2	36	9.5	9
Mirzapur Vindhyachal.	100	86	44.8	9	5	5	..	31	16.2	10
Moradabad . . .	165	170	53.7	16	11	8	..	50	15.8	15
Muzaffarnagar . . .	81	46	29.6	1	1	6	3.9	1
Pilibhit . . .	47	29	32.2	6	1	3	1	13	14.4	5
Rampur†													
Saharanpur . . .	178	138	40.4	51	2	1	..	69	20.2	17
Sambhal†													
Sitapur†													
Shahjahanpur . . .	112	109	50.7	30	5	4	..	55	25.6	17
TOTAL -	4,656	3,489	39.0	..	2	..	451	126	170	11	1,391	15.5	397

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th September, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from —										Total	D.R. ¹	I.D.
		B.	B.R.*] C	S.	P.	F.	D.D.	R.D.	M.D.					
ARREAR INFORMATION														
w/e 30-8-1958														
Kerala														
Alleppey . . .	195	45	9.5	3	12	0.2
Changanacherry . . .	44	21	24.8	3	3.5	1	..
Kottayam . . .	55	2	1.9	8	7.6
Ernakulam . . .	77	16	10.8	3	8	5.4	3	..
Mattancherry . . .	94	22	12.2	8	4.4
Quilon . . .	82	15	19.8	1	2	..	11	7.0	2	..
Trichur . . .	80	59	38.4	1	7	4.6
Trivandrum . . .	247	95	19.8	5	..	3	..	18	3.8
Kozhikode†														
Palghat . . .	82	39	24.7	2	1	6	..	18	11.4	2	..
Cannanore . . .	49	31	32.9	1	..	2	..	13	13.8	1	..
Tellicherry . . .	43	22	26.6	1	8	9.7	2	..
Cochin . . .	33	18	28.4	1	12	18.9	3	..
TOTAL . . .	1,083	385	18.5	16	3	13	..	126	6.1	16	..
Madhya Pradesh														
w/e 9-8-1958														
Bilaspur . . .	54	13	12.5	7	3	1	..	26	25.0	12	..
Burhanpur . . .	85	96	58.7	18	..	2	..	36	22.0
Damoh . . .	47	27	29.8	2	1	2	..	13	14.3
Jabalpur†														
Khandwa . . .	64	20	16.2	2	1	1	..	8	6.5
Raipur†														
Murwar†														
Sagar†														
Chindwar†														
Raigarh†														
Itarsi†														
Greater Gwalior . . .	297	65	11.4	4	..	1	..	18	3.1	2	..
Indore . . .	423	334	41.1	10	8	29	..	86	10.5	29	..
Ratlam . . .	82	29	18.3	5	..	8	..	13	8.2	4	..
Ujjain . . .	183	74	21.0	13	3	44	12.5	12	..
Bhopal City†														
Mandsaur†														
TOTAL . . .	1,235	658	27.7	61	16	44	..	224	9.4	59	..
Andhra Pradesh														
w/e 30-8-58														
Adoni . . .	72	51	36.8	2	..	11	7.9	2	..
Anantpur†														
Anakapalli . . .	51	56	57.1	1	2	1	1	1	17	17.3	3	..
Bhimavaram . . .	41	28	35.5	3	2	18	22.8	5	..
Chirala . . .	48	50	54.1	5	..	1	..	16	17.3	4	..
Chittoor†														
Cuddapah . . .	46	36	40.7	..	1	1	2	..	11	12.4	1	..
Ellore . . .	108	82	39.4	4	..	2	2	24	11.5	2	..
Gudivada . . .	40	46	59.8	1	1	..	5	4	2	1	28	36.4	4	..
Guntur . . .	168	178	55.2	..	2	..	14	17	14	1	121	37.5	24	..
Guntakal . . .	43	27	32.6	3	2	13	15.7	3	..
Kakinada . . .	123	51	21.6	5	3	3	..	33	14.0	11	..
Kurnool†														
Masulipatnam . . .	95	78	42.7	4	7	1	..	53	29.0	9	..
Nandyal . . .	40	23	29.9	1	2	5	..	24	31.2	2	..
Nellore . . .	107	103	50.1	2	..	1	38	18.5	14	..
Proddutur . . .	46	41	46.3	4	..	1	1	14	15.8	4	..
Rajahmundry . . .	137	40	15.2	3	4	..	1	20	7.6	4	..
Tenali . . .	76	62	42.4	..	1	..	1	3	1	..	12	8.2	4	..
Vijayawada . . .	253	120	24.7	14	7	7	1	72	14.8	16	..
Visakhapatnam . . .	148	110	38.6	1	5	5	11	..	48	16.8	9	..
Vizianagaram . . .	81	76	48.8	3	2	2	..	30	19.3	6	..
Hyderabad . . .	1,291	516	20.6	27	22	35	..	209	8.4	22	..
Warrangal†														
Nizamabad . . .	81	10	6.4	1	..	1	..	2	1.3	2	..
Kothagudiam†														
Secunderabad . . .	192	158	42.8	1	4	11	..	53	14.4	16	..
TOTAL . . .	3,287	1,942	30.7	4	5	..	104	88	102	9	867	13.7	167	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th September, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.	
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal															
w/e 19-7-58															
Asansol . . .	96	4	2.2	1	5	2.7	..		
Baidyabati† Bally . . .	71	5	3.7	1	1	..	3	2.2	..		
Bankura . . .	51	28	28.6	1	2	2.0	..		
Bansberia† Baranagar . . .	99	31	16.3	2	1	..	1	2	18	9.5	8		
Basirhat . . .	43	4	4.9	1	1	..	20	15.1	..		
Behrampur . . .	69	55	41.6	..	1	..	2	1	1	..	4	4.9	3		
Bhadreswar . . .	44	6	7.1	2	2.4	2		
Bhatpara . . .	150	33	11.5	14	4	2	..	34	11.8	9		
Burdwan . . .	85	18	11.0	1	6	3.7	..		
Calcutta . . .	2,931	1,325	23.6	37	2	..	46	68	127	2	669	11.9	221		
Champadani . . .	41	10	12.7	3	3.8	..		
Cooch Behar† Darjeeling . . .	39	25	33.4	5	..	1	..	12	16.0	..		
English Bazar . . .	37	3	4.2		
Garden-Reach . . .	131	13	5.2	5	4	14	5.6	2		
Halisahar . . .	43	2	2.4		
Hooghly Chinsura . . .	63	89	73.7	2	4	2	1	13	10.8	5		
Howrah . . .	477	131	14.3	22	3	..	9	22	23	..	145	15.8	44		
Jalpaiguri . . .	55	19	18.0	1	1	7	6.6	..		
Kamarhati† Kanchrapara . . .	104	1	.5	1	1	2	1.0	..		
Krishnagar . . .	69	1	2	1.5	..		
Midnapur† Nabadwip . . .	87	40	24.0	1	6	4	1	..	13	7.8	..		
Naihati . . .	67	9	7.0	4	3.1	..		
North Barrackpore . . .	37	3	4.2	1	1	1.4	..		
Panihati . . .	76	1	.7	4	2.7	..		
Santipur†															
Serampore . . .	92	25	14.2	1	2	1	..	11	6.2	4		
Siliguri . . .	71	1	..	5	3.7	..		
South Dum Dum . . .	114		
South Suburban . . .	149	38	13.3	2	2	7	..	13	4.5	6		
Titagarh . . .	85	28	17.2	..	1	..	12	1	6	..	22	13.5	3		
Purulia . . .	52	7	7.0	2	3	3.0	..		
Budge Budge . . .	32	8	13.0	2	1	..	6	9.8	..		
Chandernagore . . .	58	41	36.9	1	1	..	18	16.2	1		
Kharagpur . . .	79	2	1.3	..		
Santipur . . .	55	31	29.4	2	1.9	..		
TOTAL . . .	5,752	2,033	18.4	66	8	..	109	122	176	3	1,065	9.6	308		
w/e 26-7-58															

w/e 26-7-58

Asansol	96	3	1.6	1	4	2.2	..
Baidyabati†	71	12	8.8	1	1	1	..	5	3.7	..
Bally	51	15	15.3	1	1	1.0	..
Bankura	99	39	20.5	1	5	2	..	20	10.5	5
Bansberia†	43	5	6.1	2	2.4	1
Basirhat	69	47	35.5	..	1	..	2	2	14	10.6	7
Behrampur	44	2	2.4	..	2	..	17	5	4	..	3	3.6	..
Bhadreswar	150	35	12.2	4	17	5	4	..	48	16.7	13
Bhatpara	85	18	11.0	1	1	1	..	6	3.7	..
Burdwan	2,931	1,419	25.2	43	3	..	27	52	128	1	644	11.5	192
Calcutta	41	14	17.8	2	..	7	8.9	..
Champadani	39	11	14.7	7	1	11	14.7	..
Cooch-Behar†	37	3	4.2
Darjeeling	131	13	5.2	5	4	14	5.6	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Small pox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th September, 1958—*contd.*

Town	Mid-year Popn Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.		w/e 26-7-58.												
English Bazar	37	2	2.8
Garden-Reach	131	15	6.0	3	1	1	..	16	6.4	4	..
Hallsahar	43	2	2.4	3	3.6
Hooghly-Chinsura	63	76	62.9	3	2	..	2	15	12.4	2	..
Howrah	477	144	15.7	15	3	..	7	14	40	..	144	15.7	57	..
Jalpaiguri	55	24	22.8	2	8	7.6
Kamarhati†														
Kanchrapara	104	31	15.5
Krishnagar	69
Midnapur	47	32	35.5	1	1	2	..	15	16.6
Nabadwip	87	41	24.6	4	4	2	..	14	8.4	1	..
Naihati	67	11	8.6	1	5	3.9
North Barrackpore	37	4	5.6	1	1.4
Panihati	76	1	7	4	1	7	19	13.0	1	..
Sardipur†														
Sehrampur	92	48	27.2	1	3	4	4	..	24	13.6	6	..
Shiliguri†														
South Dum Dum†														
South Suburban	149	46	16.1	..	1	..	2	4	1	..	8	2.8	1	..
Titagarh	85	21	12.9	11	2	1	..	14	8.6	4	..
Purulia	52	6	6.0	1	2	2.9
Budge-Budge	32	10	16.3	1	2	2	..	9	14.7	1	..
Chandernagore	58	49	44.1	1	3	1	..	24	21.6
Kharagpur	79	2	1.3
Santipur	55	17	16.1	2	1.9
TOTAL	5,614	2,202	20.5	71	10	..	94	111	192	4	1,088	10.1	295	..

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week-ending the 13th September, 1958 relate to 104 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 12,791 thousands out of total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these towns were

9,735 and 3,393 respectively registering a birth rate of 39.6 and death rate of 13.8 per thousand of population.

The towns of Puri and Behrampur in Orissa and Banaras in Uttar Pradesh have recorded high death rates of 49.2, 33.4 and 32.6 respectively.

The following table gives the registered rates for different States:—

States	Current w/e 13-9-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras . . .	40.5	12.9	37.9	18.4
Mysore . . .	36.2	12.5	24.0	14.8
Orissa . . .	55.4	25.5	41.2	35.2
Pondicherry . .	71.1	14.5	62.5	13.6
Punjab . . .	43.8	12.0	46.3	11.2
Rajasthan . .	21.4	7.6	18.4	11.4
Uttar Pradesh .	39.0	15.5	40.2	16.3
India . . .	39.6	13.8	35.9	16.1

NEW DELHI-2 (INDIA) ; }
The 6th October, 1958. }

H. R. SHARMA,
for Registrar General, India.